

Public Safety Officer

ROBERT SMITH

Phone: (123) 456 78 99

Email: info@qwikresume.com

Website: www.qwikresume.com

LinkedIn: [linkedin.com/qwikresume](https://www.linkedin.com/qwikresume)

Address: 1737 Marshville Road,
Alabama

Objective

To contribute to an organization that can a skilled, knowledgeable aviation mechanic/ technical inspector with the ability to motivate and supervise and effectively manage time and resources as well as help maintain the health and welfare of subordinate personnel.

Skills

Tactical Communications, Law Enforcement, Civil Liability, Explosives Recognition, Mixed Martial Arts.

Work Experience

Public Safety Officer

ABC Corporation - December 1993 – March 1995

- Responsible for the physical security of hospital complex and Nursing school campus property.
- Respond to any reported assaults, thefts, fires or any other emergency on campus property, detain subjects for law enforcement arrest using physical restraint and minimal force necessary to obtain objective.
- Training and education in dealing with combative and verbally abusive subjects.
- Mental health patients and grieving families.
- Monitoring of electronic surveillance systems, fire control systems and closed circuit security systems.
- Provided a positive and safe environment for hospital staff, patients and families.
- Completed detailed reports on any theft, assault, or security officer contact of irate, combative, individuals.

Safety Officer

ABC Corporation - 1990 – 1993

- 8227 Archer Rd.
- Gainesville, Fl.
- 32608 [] Responsibilities include but were not limited to daily inspection and monitoring of trenching operations to ensure safe sloping/ shoring practices were being followed, inspection of scaffolding for hand rails, proper planking, toe boards in place and general integrity of units.
- Also made certain all needed P.P.E.
- was being deployed and used by workers and conducted visual inspection of harnesses, fall resistors as well as hard hats.
- Ensured dowel caps were in place, nails removed from dismantled form work, hand rails and barricades in place and in good repair, warning tape (caution/ do not enter) was deployed where needed.
- Also made sure all floor/ roof openings were properly closed and that anchor points were in place and being used.

Education

Health Science - 1999(Portland Community College - Portland, OR)